


WEST Search History

DATE: Friday, September 16, 2005

Hide?	Set Name	Query	Hit Count
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<input type="checkbox"/>	L29	L28 and "peer-to-peer network"	10
<input type="checkbox"/>	L28	ibm.asn.	47415
<input type="checkbox"/>	L27	L2 and "hash"	2
<input type="checkbox"/>	L26	L2 and "RSA"	1
<input type="checkbox"/>	L25	L22 and "RSA"	9
<input type="checkbox"/>	L24	L22 and "data files"	6
<input type="checkbox"/>	L23	L22 and "session key"	2
<input type="checkbox"/>	L22	"peer-to-peer network" and "chat session"	44
<input type="checkbox"/>	L21	"peer-to-peer network" same "chat session"	5
<input type="checkbox"/>	L20	L17 and "peer-to-peer network"	3
<input type="checkbox"/>	L19	L15 and "peer-to-peer network"	30
<input type="checkbox"/>	L18	L14 and "peer-to-peer network"	60
<input type="checkbox"/>	L17	380/277.ccls.	901
<input type="checkbox"/>	L16	380/278.ccls.	345
<input type="checkbox"/>	L15	709/225.ccls.	1977
<input type="checkbox"/>	L14	709/224.ccls.	4217
<input type="checkbox"/>	L13	713/156.ccls.	553
<input type="checkbox"/>	L12	713/175.ccls.	238
<input type="checkbox"/>	L11	713/171.ccls.	463
<input type="checkbox"/>	L10	L9 and L7	20
<input type="checkbox"/>	L9	sun microsystems.asn.	232174
<input type="checkbox"/>	L8	L7 and L6	1
<input type="checkbox"/>	L7	yeager.in. and william.in.	178
<input type="checkbox"/>	L6	pabla.in. and kuldip.in.	2
<input type="checkbox"/>	L5	"peer-to-peer network" and "public key" and "session key"	20
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<input type="checkbox"/>	L4	L2 and "session key"	0
<input type="checkbox"/>	L3	L2 and "session"	8
<input type="checkbox"/>	L2	"peer-to-peer network" and "public key"	16
<input type="checkbox"/>	L1	"peer-to-peer network" and "public key" and "session key"	0

END OF SEARCH HISTORY



Web Results 1 - 10 of about 482 for session key, public key, chat session, RSA "peer-to-peer network". (0

[PDF] Session 3075 Jxta Security

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Session 3075. 22. Certificate Based Public. Key Infrastructures. Public Key
Certificate is a data ... Generate a **public key** pair using either. **RSA** or **DSA** ...
www.jxta.org/JavaOne/JavaOne2002/JXTAp2pSecurity.pdf - [Similar pages](#)

[PDF] Project JXTA 2.0 Super-Peer Virtual Network

File Format: PDF/Adobe Acrobat - [View as HTML](#)

bit **public keys** used to verify the **RSA private key** signatures of peer X509. ...
and negotiation of a **session. key** to encrypt messages. 9.8 Message ...
www.jxta.org/project/www/docs/JXTA2.0protocols1.pdf - [Similar pages](#)

[PPT] www.ics.uci.edu/~taylor/p2p/Bolcer.ppt

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

Index on one **session**, results point to live **session**. Document Metadata ...
Magi **Public Key** Infrastructure. **RSA** keys, X509 certificates, X509 CRLs ...
[Similar pages](#)

[PDF] P2P Search Collaboration Securi

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Index on one **session**, results point to live **session**. • Document Metadata ...
Magi **Public Key** Infrastructure. – **RSA** keys, X509 certificates, X509 CRLs ...
www.ics.uci.edu/~taylor/p2p/Bolcer.pdf - [Similar pages](#)

what is waste

... Group **chat** – text messages are broadcasted on the **WASTE** ... **RSA** (with 1024 bit or greater
public key sizes) for exchange of 56 byte Blowfish **session keys**, and 8 ...
www.eng.uc.edu/~dmccartn/waste.html - 46k - Supplemental Result - [Cached](#) - [Similar pages](#)

Network Working Group F. Strauss Internet-Draft S. Schmidt Expires ...

The Architecture 2.1 The **Peer-to-Peer Network** Each node within the **chat network**
... Its the duty of the sender of a "**key**" message to ensure that the **public** ...
www.ibr.cs.tu-bs.de/lehre/ss03/pvs/p2p-chat/draft-strauss-p2p-chat-03.txt - 45k - [Cached](#) - [Similar pages](#)

Network Working Group F. Strauss Internet-Draft S. Schmidt Expires ...

This **OBSCURE** message is then again encrypted with the **public key** of the last ...
are allowed to retrieve the **session key** through a **GETKEY/KEY** message pair. ...
www.ibr.cs.tu-bs.de/lehre/ss04/pvs/draft-strauss-p2p-chat-05.txt - 50k - [Cached](#) - [Similar pages](#)

[GNUnet-SVN] r1416 - GNUnet-docs/WWW

... works by having each peer sign a secret **session key** with its **RSA**
key."); W("Furthermore, the **session key** is encrypted with the **public key** of the other ...
lists.gnu.org/archive/html/gnunet-svn/2005-07/msg00237.html - 48k - [Cached](#) - [Similar pages](#)

Paper: Project Angelo :: sdesai

In that case the other peers could initiate another **chat session**. ... During these
transactions the peer obtains the **public key** of the PGM. ...
computing.breinestorm.net/peer+protocol+jxta+server+peers/ - 39k - [Cached](#) - [Similar pages](#)


what is waste?

... Group **chat** - text messages are broadcasted on the WASTE ... **RSA** (with 1024 bit or greater **public key** sizes) for exchange of 56 byte Blowfish **session** keys, and ...

flatrabbit.com/stuff/waste/what.html - 19k - Supplemental Result - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

session key, public key, chat session [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google